Black rock

Issue 2026

PRODUCT

CATALOGUE

Premium Aluminum System Window & Doors

Black rock

www.blackrockalusystem.com

ABOUT US

Black rock

We at me offer the best quality aluminium doors, windows, and sliding systems made from the highest quality raw material. Our collections immaculately complement the modern architectural style.

The attractive qualities of the aluminium elements are their excellent strength for use, even with extreme loads, and guaranteed long lasting, seamless functionality. The versatile metal is used to create a high-performance and sustainable window and door systems that

Aluminium profiles are par excellence in quality and highly convincing with many promising properties. These profiles are extremely robust and are substantially very low maintenance over their long lives. Moreover, Doors and Windows Systems are nonflammable, colorfast and100% recyclable. Thanks to their high strength and load-bearing capacity, elements can be produced in a great miscellany of sizes. All our products are manufactured to reach and exceed paramount standards, every Blackrock product delivers matchless performance and signature style.

BLACK ROCK

WHY BLACK ROCK?

Designed for Indian Projects

Dimensions and specs that suit local site conditions

Best Value Aluminium Systems

Quality + cost balance without premium pricing

In-house Exterior Powder & Wood Coating Advantage

Faster lead time, consistent quality, lower total project cost

Right System for Every Project

25/27/29/35 Sliding 40/45/50/52 Casement | 50 Series Folding | Slim Door & Partition

Design Freedom for Project Owners

Slim profiles and multiple finish options

Engineered for Indian Climate

Weather resistance against wind, water & dust

STRONG. SLEEK. SECURE.

BLACK ROCK

INDEX

SLIDING DOORS & WINDOWS

BR 1800 06

BR 1800 Premium 08

BR 1800 Sleek 10

BR 2400 12

BR 2400 Premium 14

BR 2400 Sleek 16

BR 3000 18

BR 3000 Premium 20

BR 3000 Sleek 22

BR CRAFT 27mm 24

BR Classic 26

BR VERTICA 3500 28

CASEMENT DOORS & WINDOWS

BR Classic - 40mm Windows 30

BR Futural - 50mm Window 32

BR Elegant - 40mm Doors 34

BR Prime - 50mm Doors 36

BR Fortis - 52mm Doors & Windows 38

BR Linea Vetro Slim Door 40

BR Vista Facade System 42

BR Vista Fold 50 Series 44


BR 1800

BR 1800

BLACK ROCK


Features

- Maximum Glass Area
- Slim Interlock 22mm
- Non Thermal
- Max. Leaf size (WxH) - 900mm x 1800mm
- Casement Combination Available




Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 49mm / 3 Track - 86mm
- Frame Depth 38mm
- Sash 57.5mm / 25mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double




Typology


2 Track - 2 Blades




3 Track - 4 Blades




2 Track with Flyscreen Inside - 2 Blades + Flyscreen




3 Track - 3 Blades



3 Track - 2 Blades + Flyscreen Inside



6 Track - 6 Blades




BR 1800 Premium

BR 1800 Premium

BLACK ROCK


Features

- Maximum Glass Area
- Slim Interlock 22mm
- Non Thermal
- Max. Leaf size (WxH) - 900mm x 1800mm




Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 64mm / 3 Track - 102mm
- Frame Depth 38mm
- Sash 57.5mm / 25mm
- Interlock 22mm & 59mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double



Typology



BR 1800 Sleek




BR 1800 Sleek

BLACK ROCK


Features

- Ultra Sleek Track
- Maximum Glass Area
- Slim Interlock 22mm
- Non Thermal
- Max. Leaf size (WxH) - 900mm x 1800mm
- Casement Combination Available




Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 72mm / 3 Track - 103mm
- Frame Depth 27.5mm
- Sash 57.5mm / 25mm
- Interlock 22mm & 59mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double




Typology


2 Track - 2 Blades




3 Track - 4 Blades




2 Track with Bottom & Side track - 4 Blades



3 Track - 3 Blades



3 Track - 6 Blades




BR 2400

BR 2400

BLACK ROCK


Features

- Maximum Glass Area
- Slim Interlock 22.5mm
- Non Thermal
- Max. Leaf size (WxH) - 1200mm x 2400mm
- Reinforcement Interlocking System
- Casement Combination Available




Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 49mm / 3 Track - 86mm
- Frame Depth 38mm
- Sash 64.5mm / 27.5mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double




Typology


2 Track - 2 Blades




2 Track - 4 Blades




2 Track with Flyscreen Inside - 2 Blades + Flyscreen




3 Track - 3 Blades



3 Track - 2 Blades + Flyscreen Shutter



3 Track - 3 Blades




BR 2400 Premium

BR 2400 Premium

BLACK ROCK


Features

- Maximum Glass Area
- Slim Interlock 22.5mm
- Non Thermal
- Max. Leaf size (WxH) - 1200mm x 2400mm
- Reinforcement Interlocking System




Technical Details

- Alloy 6063-T6
- Glazing upto 4-8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 64mm / 3 Track - 102mm
- Frame Depth 38mm
- Sash 64.5mm / 27mm
- Interlock 22.5mm & 66mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double




Typology


2 Track - 2 Blades




2 Track - 4 Blades




3 Track - 3 Blades




3 Track - 3 Blades



3 Track - 2 Blades + Flyscreen Shutter



3 Track - 6 Blades



BR 2400 Sleek

BR 2400 Sleek

BLACK ROCK


Features

- Ultra Sleek Track
- Maximum Glass Area
- Slim Interlock 22.5mm
- Non Thermal
- Max. Leaf size (WxH) - 1200mm x 2400mm
- Reinforcement Interlocking System
- Casement Combination Available




Technical Details

- Alloy 6063-T6
- Glazing upto 4-8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 72mm / 3 Track - 103mm
- Frame Depth 27.5mm
- Sash 64.5mm / 27mm
- Interlock 22.5mm & 66mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double




Typology


2 Track - 2 Blades




3 Track - 4 Blades




3 Track With Blind Inside & Side Track - 4 Blades



3 Track - 3 Blades



3 Track - 3 Blades



BR 3000

BR 3000

BLACK ROCK


Features

- Maximum Glass Area
- Slim Interlock 22.5mm
- Non Thermal
- Max. Leaf size (WxH) - 1500mm x 3000mm
- Reinforcement Interlocking System
- Casement Combination Available




Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 49mm / 3 Track - 86mm
- Frame Depth 38mm
- Sash 64.5mm / 29mm
- Interlock 22.5mm & 66mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double



Typology



BR 3000 Premium

BR 3000 Premium

BLACK ROCK

Features

- Maximum Glass Area
- Slim Interlock 22.5mm
- Non Thermal
- Max. Leaf size (WxH) - 1500mm x 3000mm
- Reinforcement Interlocking System



Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 64mm / 3 Track - 102mm
- Frame Depth 38mm
- Sash 64.5mm / 29mm
- Interlock 22.5mm & 66mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double


Uniform · Colours · Weathering · Safety

Design · Sustainability · Sound Insulation · Water Tightness


Wind Load · Air Permeability · Impact Resistance

Typology


2 Track - 2 Blades



2 Track - 4 Blades




3 Track - 3 Blades



3 Track - 2 Blades + Flyscreen Shutter



3 Track - 6 Blades



BR 3000 Sleek

BR 3000 Sleek

BLACK ROCK


Features

- Ultra Sleek Track
- Maximum Glass Area
- Slim Interlock 22.5mm
- Non Thermal
- Max. Leaf size (WxH) - 1500mm x 3000mm
- Reinforcement Interlocking System
- Casement Combination Available




Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 72mm / 3 Track - 103mm
- Frame Depth 27.5mm
- Sash 64.5mm / 29mm
- Interlock 22.5mm & 66mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double



Typology


2 Track - 2 Blades




2 Track - 4 Blades




3 Track - 3 Blades



3 Track - 3 Blades



3 Track - 6 Blades




BR CRAFT 27mm

BR CRAFT 27 mm

BLACK ROCK


Features

- Maximum Glass Area
- Slim Interlock 22mm
- Non Thermal
- Leaf size (WxH) - 1200mm x 2400mm
- Reinforcement Interlocking System



Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 60mm / 3 Track - 94mm
- Frame Depth 39mm
- Sash 65mm / 27mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double



Typology


BR Classic Sliding

BR CLASSIC Sliding

BLACK ROCK


Features

- Non Thermal
- Max. Leaf size (WxH) - 900mm x 2100mm
- Constructed from High Grade Aluminium Alloy 6063-T6
- Space Efficient
- Low Maintenance




Technical Details

- Glazing upto 8mm Glass
- Possible Typology - 2, 3, 4 & 6 Leaves
- Frame Width 2 Track - 45mm / 3 Track - 80mm
- Frame Depth 45mm
- Sash 65mm / 27mm
- Multi Locking System / Key Locking System
- Roller - Fix Single, Fix Double & Adjustable Double




Typology


2 Track - 2 Blades




3 Track - 4 Blades




3 Track - 3 Blades



3 Track - 2 Blades + Flyscreen Shutter



3 Track - 6 Blades



BR VERTICA 3500

Sliding Door & Windows

BR VERTICA 3500
Sliding Doors & Windows


BLACK ROCK


Features

- Maximum width 1200mm
- Maximum height 3500mm
- Constructed from High Grade Aluminium Alloy 6063-T6
- Ultra sleek track
- Enhanced aesthetics with reduced sightlines

Technical Details


- Glazing upto 8mm Glass
- Frame Width 2 Track - 100mm / 3 track - 150mm
- Frame Depth 31mm
- Sash 58mm / 68mm
- Multi Locking System / Key Locking System
- Roller - Fix Double & Adjustable Double






Typology

2 Track - 2 Shutter



2 Track - 4 Shutter



BR CLASSIC 40

Casement Window

BR CLASSIC
40 Casement Windows

BLACK ROCK


Features

- Square Shape Clips
- Glazing from Inside for Security
- Single Point to Multipoint Locking Systems
- Window Height (Max.) - 1600mm
- Window Width (Max.) - 900mm
- Internal & External Opening System
- Burglar Proof Door Systems




Technical Details

- Alloy 6063-T6
- Glazing upto 12mm Glass
- Possible Typology - Fixed, Awning, Hopper, Side Hung, Top Hung, Tilt & Turn
- Frame Width 44mm / 39mm
- Frame Depth 40mm
- Shutter Face 51.5mm
- Openable Sight Line 76mm
- Fix Sight Line 54mm
- Hinge Options - Invisible & Visible
- Multi Locking System / Key Locking System



Typology



BR FUTURAL

50 Casement Windows



BR FUTURAL
50 Casement Windows

BLACK ROCK


Features

- Square Shape Clips
- Glazing from Inside for Security
- Single Point to Multipoint Locking Systems
- Window Height (Max.) - 1800mm
- Window Width (Max.) - 900mm
- Burglar Proof Door Systems




Technical Details

- Alloy 6063-T6
- Glazing upto 24mm Glass
- Possible Typology - Fixed, Awning, Hopper, Side Hung, Top Hung, Tilt & Turn
- Frame Width 45mm
- Frame Depth 50mm
- Shutter Face 79mm
- Openable Sight Line 96mm
- Fix Sight Line 66mm
- Hinge Options - Invisible & Visible
- Multi Locking System / Key Locking System



Typology



BR ELEGANT 40

Casement Door




BR ELEGANT
40 Casement Door

BLACK ROCK


Features

- Square Shape Clips
- Glazing from Inside for Security
- Single Point to Multipoint Locking Systems
- Door Height (Max.) - 2400mm
- Door Width (Max.) - 900mm
- Internal & External Opening System
- Burglar Proof Door Systems



Technical Details

- Alloy 6063-T6
- Glazing upto 12mm Glass
- Frame Width 44mm / 55mm
- Frame Depth 40mm
- Shutter Face 51.5mm
- Openable Sight Line 76mm
- Fix Sight Line 54mm
- Hinge Options - Invisible & Visible
- Multi Locking System / Key Locking System



Typology



BR PRIME 50

Casement Door

BR PRIME
50 Casement Door

BLACK ROCK

Features

- Square Shape Clips
- Glazing from Inside for Security
- Single Point to Multipoint Locking Systems
- Door Height (Max.) - 3000mm
- Door Width (Max.) - 900mm
- Internal & External Opening System
- Burglar Proof Door Systems




Technical Details

- Alloy 6063-T6
- Glazing upto 24mm Glass
- Frame Width 72.5mm
- Frame Depth 50mm
- Shutter Face 119mm
- Openable Sight Line 96mm
- Fix Sight Line 86mm
- Hinge Options - Invisible & Visible
- Multi Locking System / Key Locking System



Typology



BR FORTIS 52

Casement Door & Window

BR FORTIS
52 Casement Door & Window

BLACK ROCK


Features

- Square Shape Clips
- Glazing from Inside for Security
- Single Point to Multipoint Locking Systems
- Door Height (Max.) - 3000mm
- Door Width (Max.) - 1200mm
- Internal & External Opening System
- Burglar Proof Door Systems




Technical Details

- Alloy 6063-T6
- Glazing upto 24mm Glass
- Frame Width 62.5mm
- Frame Depth 52mm
- Shutter Face 95mm
- Openable Sight Line 128mm
- Fix Sight Line 66 / 95mm
- Hinge Options - Invisible & Visible
- Multi Locking System / Key Locking System



Typology



BR LINEA VETRO


Slim Series

BR LINEA VETRO
Slim Series

BLACK ROCK


Features

- Best for interior doors
- Minimal aluminium sightline
- Door size(WxH) - 1000mm x 2400mm
- Maximized glass area with minimal aluminium for a modern architectural appearance
- Enable decorative glazing design



Technical Details

- Alloy 6063-T6
- Glazing upto 8mm Glass
- Frame width 32mm
- Shutter face 16mm
- Shutter dept 45mm
- Corner Joints - Frame 45°
  Shutter 45°
- Surface finish - Wide range of RAL colours and wood finishes
- Architrave frame for seamless integration with interiors



Typology

1. **Single Slim Door (Openable)**
   - Standard hinged door with minimal 16mm shutter face
   - Clean, modern look for bedrooms, offices, cabins
2. **Double Slim Door**
   - Two shutter door with minimal sightline
   - Suitable for larger openings
3. **Fixed + Door Combination**
   - One side fixed glass + one openable door
   - Used where wider opening + aesthetics required
4. **Partition with Door**
   - Full glass partition with integrated door
   - Ideal for office cabins, conference rooms, interior zoning
5. **Divider / Panel Typology**
   - Single or multiple vertical panels
   - Creates elegant space division
   - Suitable for offices and interior applications
6. **Decorative Glass Design**
   - Supports decorative glazing options
   - Frosted / tinted / patterned glass
   - Enhances interior aesthetics
7. **Telescopic Sliding (3 / 4 Panels)**
   - Multiple sliding panels
   - Panels slide and stack to one side
   - Maximum opening clearance
   - Used in luxury interiors and office partitions

BR VISTA

Facade System

BR VISTA
Facade System


BLACK ROCK


Features

- Non-Load Bearing
- Weather Resistance
- Natural Lighting
- Durability and Low Maintenance
- Aesthetic Versatility
- Structural and Seismic Performance

Technical Details

- Alloy 6063-T6
- Glazing upto 24mm Glass
- Frame Width 45mm / 55mm
- Frame Depth 45mm / 96mm
- Slim Frame Width 35mm
- Slim Frame Depth 55mm / 95mm





Typology

1. **Curtain Wall System**
   - Slim sections with maximum glass
   - Ideal for modern villa and commercial buildings
2. **Slim Curtain Wall (35mm)**
   - Minimal sightline for a clean appearance
   - Suitable for low-rise buildings
3. **Double Glazing Option**
   - Supports double glazing for improved thermal and acoustic performance
   - Enhances energy efficiency
4. **Partition with Door**
   - Full glass partition with integrated door
   - Ideal for office cabins, conference rooms, interior zoning
5. **Decorative Facade Design**
   - Provides aesthetic versatility
   - Various look options with cover plates and pressure plates
6. **Structural Performance**
   - Engineered for strength and seismic performance
   - Suitable for diverse climatic conditions
7. **Low Maintenance**
   - Durable finish, weather resistant
   - Long service life with minimal upkeep

BR VISTA FOLD

50 Series

OPEN
SPACES
BRIGHTER
LIVING

SEAMLESS
TRANSITIONS
TIMELESS SPACES

BR VISTA FOLD
50 Series

BLACK ROCK

Features


- Wide unobstructed opening
- Smooth and silent operation
- Strong and durable construction
- Weather resistant sealing
- Flexible configurations
- Suitable for residential & commercial use





Technical Details

- Alloy 6063-T6
- Single Glass: 6mm / 8mm
- Laminated Glass: 5+5 / 6+6
- Double Glazing (optional): 18–24 mm
- System Depth 50 mm
- Max Panel Width 700 – 900 mm
- Max Panel Height Up to 3500 mm
- Max Panels Up to 8
- Options for:
  Inward / outward opening
  Left / right / VVsplit stacking
- Finish Options Powder Coating / Wood Finish



The Vista Fold 50mm Sliding Folding System offers versatile typologies from 2 to 8 panels, with inward and outward opening options, enabling wide unobstructed openings and seamless indoor-outdoor connectivity.





Spring Winds Are Coming

– Is Your Home Ready?

Black rock
ALUMINIUM SYSTEMS

Colors and trends for the world's finest creative minds

DURABLE • BEAUTIFUL • SUSTAINABLE



ARCHITECTURAL SOLUTIONS FOR A BRIGHTER TOMORROW

D1036 BR SOLID SHADE

TIMELESS COLOURS FOR MODERN SPACES

SDA53N (Champagne) Matt

SP12AN (RAL 7035) Satin

SP12CN (RAL 7032) Satin

SP100N (RAL 7037) Satin

SP294N (RAL 7043) Matt

SP203N (RAL 7015) Matt

SN253N (RAL 9005) Matt

SM226N (RAL 8016) Matt

Traffic White JA014N Glossy

Ivory MD079N Glossy

Anodic Red JGA0 Glossy

Off White JA109N Semi Glossy

BK Brown JM404N Semi Glossy

BCB Brown JM107N Semi Glossy

RAL 9005 JN107N Semi Glossy

BK Brown JM404N Semi Glossy

BCB Brown JM107N Semi Glossy

RAL 9005 JN107N Semi Glossy

D1036 BR METALLIC SHADES

REFINED TONES FOR DISTINCTIVE DESIGN

SWC39N (Metro Gold) Matt

SW10AN (RAL 9006) Satin

SW26AN (Eco Grey) Matt

SW17AN (RAL 9007) Satin

SW32AN (Sparkle Grey) Fine Texture

SW31BN (2900 MT Grey) Fine Texture


SW30BN (2500 MT Grey) Fine Texture

SW28BN (Anodic Bronze III) Matt

SW33AN (Brushed Metallic) Satin

SW29BN (Titanium Grey) Fine Texture

SURFACE TEXTURES



ADDITIONAL GLOSSY SHADES

INTERPON 600 | PURE POLYESTER FOR OUTDOOR APPLICATIONS

Traffic White JA014N Glossy


Ivory MD079N Glossy

Anodic Red (RAL) JGA08N Glossy

Kraft Yellow JE050N Glossy

ALUMINUM WINDOW FINISHES

ELEGANT FINISHES FOR MODERN ARCHITECTURE



WOOD FINISHES

TIMELESS • NATURAL • AUTHENTIC



COLOURS INSPIRE | SURFACES TRANSFORM | SPACES COME ALIVE

BLACKROCK ALUMINIUM SYSTEMS

Black rock

ALUMINIUM SYSTEMS

Engineered for Performance. Designed for Life.

www.blackrockalusystem.com

6238830831
6238800831

blackrockalusystem@gmail.com

12/334B, Chittissery
Nenmanikara, Amballur
Kerala 680301

BLACK ROCK ALUMINIUM SYSTEMS